

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48606	((guide\$1 or guiding or channel or channeled or channeling or path or pathway or groove\$1 or grooving or hollow or hollowed or hollowing or chamber or chambered or chambering or tunnel or tunneled or tunneling or cavity or house\$1 or housing or port or couple \$1 or coupling or redirect or redirected or redirecting or redirection or direct or directed or directing or direction) near3 (cable \$1 or cabling or wire\$1 or wiring or cord or rope or plug)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/08/16 14:05
L2	9461	L1 and ((guide\$1 or guiding or channel or channeled or channeling or path or pathway or groove\$1 or grooving or hollow or hollowed or hollowing or chamber or chambered or chambering or tunnel or tunneled or tunneling or cavity or house\$1 or housing or port or couple \$1 or coupling) near5 ((cable\$1 or cabling or wire\$1 or wiring or cord or rope or plug) near3 (bend or bending or bent or turn or turned or turning or redirect or redirected or redirecting or redirection or direct or directed or directing or direction or angle\$1 or angling)))	US-PGPUB; USPAT	ADJ	ON	2010/08/16 14:05

L3	5979	L2 and ((port or open or opening or opened or hole or aperture) near5 (cable\$1 or cabling or wire\$1 or wiring or cord or rope or plug))	US-PGPUB; USPAT	ADJ	ON	2010/08/16 14:05
L4	1762	L3 and (((guide\$1 or guiding or channel or channeled or channeling or path or pathway or groove\$1 or grooving or hollow or hollowed or hollowing or chamber or chambered or chambering or tunnel or tunneled or tunneling or cavity or house\$1 or housing or port or couple \$1 or coupling) near3 (cable\$1 or cabling or wire\$1 or wiring or cord or rope or plug)) near5 (support or supported or supporting or leg or arm or armature or brace\$1 or bracing or pole or rod))	US-PGPUB; USPAT	ADJ	ON	2010/08/16 14:05
L6	377	L4 and (((guide\$1 or guiding or channel or channeled or channeling or path or pathway or groove\$1 or grooving or hollow or hollowed or hollowing or chamber or chambered or chambering or tunnel or tunneled or tunneling or cavity or house\$1 or housing or port or couple \$1 or coupling) near3 (shape\$1 or shaping or curve\$1 or curvature or curving or angle\$1 or angling or bend or bent or bending)) near5 (cable\$1 or cabling or wire\$1 or wiring or cord or rope or plug)).ab,ti,clm.	US-PGPUB; USPAT	ADJ	ON	2010/08/16 14:07

L7	101	L6 and (((guide\$1 or guiding or channel or channeled or channeling or path or pathway or groove\$1 or grooving or hollow or hollowed or hollowing or chamber or chambered or chambering or tunnel or tunneled or tunneling or cavity or house\$1 or housing or port or couple \$1 or coupling) near3 (cable\$1 or cabling or wire\$1 or wiring or cord or rope or plug)) near5 (support or supported or supporting or leg or arm or armature or brace\$1 or bracing or pole or rod)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/08/16 14:09
S1	485	(84/421).OCLS.	US-PGPUB; USPAT	OR	OFF	2010/05/31 17:52
S2	3138	((84/402,403) or (84/411r) or (84/412) or (84/421) or (d17/22) or (d17/24) or (d17/99)). OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/31 17:52
S3	119519	"248"/\$	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:52
S4	51746	"211"/\$	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:53
S5	50993	"403"/\$	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:53
S6	21719	"411"/\$	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:53
S7	65	((("d295471") or ("d306943") or ("d320034") or ("d326969") or ("d329342") or ("d336099") or ("d356901") or ("d658048") or ("d364281") or ("d372691") or ("d375639") or ("d400565") or ("d400735") or ("d416464") or ("d421447") or ("d435365") or ("d450339s") or	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/31 17:53

("d492587s") or
("d493363s") or
("d742453") or
("1309375") or
("1376593") or
("1970624") or
("2902592") or
("3463520") or
("3514091") or
("3603623") or
("3604734") or
("3823245") or
("3981491") or
("3997724") or
("4102219") or
("4111575") or
("4140415") or
("4185936") or
("4227049") or
("4405107") or
("4430017") or
("0479414") or
("4579229") or
("4593596") or
("4596484") or
("4606525") or
("4671479") or
("4691611") or
("4744690") or
("4761092") or
("4768798") or
("4770380") or
("4818135") or
("5029796") or
("5048789") or
("4063821") or
("5069254") or
("5140889") or
("5154449") or
("5161761") or
("5182416") or
("5337646") or
("5520292") or
("5531148") or
("5570968") or
("5726369")).PN.

S8	17	((("5744738") or ("5857649") or ("5911523") or ("5929355") or ("5949008") or ("5996814") or ("6062396") or ("6283421") or ("6343802") or ("6375135") or ("6610916") or ("6653540") or ("6719257") or ("6722810") or ("6789772") or ("6814332") or ("4684091"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/31 17:53
S9	414	S2 and ((drum or drumme\$1 or drumming or percussion or instrument) near3 (rack or racked or racking or support or supportive or supporting or supported or stand or standing or stanabl\$1 or brace\$1 or bracing or bracabl\$1 or hold or holding or holdabl\$1 or prop or propped or propping or mount or mounted or mounting or carr\$4)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:55
S10	267	S9 and ((pivot or pivote\$1 or pivoting or pivotabl\$1 or collapse\$1 or collapsing or collapsabl\$1 or fold or folded or folding or foldabl\$1 or rotate\$1 or rotating or rotation or rotatabl\$1 or swing or swinging or swingabl\$1))	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:56
S11	27	S10 and (cable\$1 or cabling or wire\$1 or wiring or string or stringed or flex\$4 or rope\$1 or roping or cord).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:57

S12	66	S9 and ((hollow or hollowed or hollowing or open or opened or tube\$1 or tubing or tubular or cavity or pipe\$1 or piping or hole or inside or inner or within or interior) near3 (tube\$1 or tubing or rack or pipe\$1 or piping or support or supportabl\$1 or supporting or supported or supportive or stand or standing or standabl\$1 or brace\$1 or bracing or bracabl\$1 or prop or propped or propping or hold or holding or holdabl\$1 or mount or mounted or mounting or mountabl\$1 or rail or railing or leg or arm or armature or exten\$4)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 17:59
S13	10865	(S3 or S4 or S5 or S6) and ((pivot or pivote\$1 or pivoting or pivotabl\$1 or collapse\$1 or collapsing or collapsabl\$1 or fold or folded or folding or foldabl\$1 or rotate\$1 or rotating or rotation or rotatabl\$1 or swing or swinging or swingabl\$1) near3 (stand or standing or stabl\$1 or support or supported or supporting or supportive or supportabl\$1 or hold or holding or holdabl\$1 or mount or mounted or mounting or mountabl\$1 or brace\$1 or bracing or bracabl\$1 or rack or rail or railing)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:02

S14	2180	S13 and ((hollow or hollowed or hollowing or open or opened or tube \$1 or tubing or tubular or cavity or pipe\$1 or piping or hole or inside or inner or within or interior) near3 (tube\$1 or tubing or rack or pipe \$1 or piping or support or supportabl\$1 or supporting or supported or supportive or stand or standing or standabl \$1 or brace\$1 or bracing or bracabl\$1 or prop or propped or propping or hold or holding or holdabl\$1 or mount or mounted or mounting or mountabl \$1 or rail or railing or leg or arm or armature or exten\$4)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:02
S15	391	S14 and (((hollow or hollowed or hollowing or open or opened or tube \$1 or tubing or tubular or cavity or pipe\$1 or piping or hole or inside or inner or within or interior) near3 (tube\$1 or tubing or rack or pipe \$1 or piping or support or supportabl\$1 or supporting or supported or supportive or stand or standing or standabl \$1 or brace\$1 or bracing or bracabl\$1 or prop or propped or propping or hold or holding or holdabl\$1 or mount or mounted or mounting or mountabl \$1 or rail or railing or leg or arm or armature or exten\$4)) with (cable or wire or string or flex \$4 or cord or rope))	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:03

S16	68	S15 and ((hollow or hollowed or tube\$1 or tubing or pipe\$1 or piping or rail or railing or leg or arm or armature or exten\$4) near3 (cable or wire or string or flex\$4 or cord or rope)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:04
S17	234	((don or donald) near3 eason) or ((steve or steven) near3 fisher)).in.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2010/05/31 18:04
S18	3814	"s17" and ((support or supporting or supportive or supported or stand or standing or hold or holding or mount or mounting or mounted)).ab,ti.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2010/05/31 18:05
S19	50	S17 and ((support or supporting or supportive or supported or stand or standing or hold or holding or mount or mounting or mounted)).ab,ti.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2010/05/31 18:06
S20	1	S19 and ((hollow or hollowed or tube\$1 or tubing or pipe\$1 or piping or rail or railing or leg or arm or armature or exten\$4) near3 (cable or wire or string or flex\$4 or cord or rope)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:06
S21	6	((("5337646") or ("4684091") or ("20020030146") or ("2817548") or ("6830227"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/31 18:07
S22	36686	"84".clas.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:07

S23	116478	(S3 or S4 or S5 or S6 or S22) and ((stand or mount or mounted or mounting or hold or holding or support or supported or supporting or supportabl\$1 or supportive or rack or racked or racking or rackabl\$1 or carr\$4)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:08
S24	2780	S23 and ((hollow or hollowed or tube\$1 or tubing or pipe\$1 or piping or rail or railing or leg or arm or armature or exten\$4) near3 (cable or wire or string or flex\$4 or cord or rope)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:09
S25	402	S24 and ((hollow or hollowed or tube\$1 or tubing or pipe\$1 or piping or rail or railing or leg or arm or armature or exten\$4) near3 (adjust or adjusted or adjustabl\$1 or adjusting or height or heighten\$3 or short or shorter or shorten\$3 or move\$1 or moving or movabl\$1 or slide or sliding or slidabl\$1 or raise\$1 or raising or lower or lowered or lowering)).ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:11
S26	82	S25 and ((hollow or hollowed or tube\$1 or tubing or pipe\$1 or piping or rail or railing or leg or arm or armature or exten\$4) near5 ((within or inside or inner or interior or contain or contained or containing or hidden or store\$1 or storing or storage) near3 (cable\$1 or cabling or wire\$1 or wiring or string or stringed or cord or corded or cording or rope\$1 or roping))))	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:13

S27	535	S22 and ((percussion or percussive or cymbal or drum or drumming or drummer snare) near3 (support or supported or supporting or supportive or supportabl\$1 or mount or mounted or mounting or mountabl\$1 or brace\$1 or bracing or bracabl\$1 or hold or holding or holdabl\$1 or stand or standing or standabl\$1)). ab,ti.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:14
S28	436	S27 and (fold or folded or folding or folabl\$1 or pivot or pivoted or pivoting or pivotabl\$1 or rotate\$1 or rotatabl\$1 or rotating or rotation or turn or turned or turning or turnabl\$1 or spin or spinning or spinned or twist or twisted or twisting or twistabl\$1)	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:15
S29	205	S28 and ((adjust or adjustabl\$1 or adjusted or adjusting or move\$1 or moving or movabl\$1 or change\$1 or changing or changabl\$1 or alter or altered or altering or vary or varying or varied or variable or variably or modif\$4 or slide or sliding or slidabl\$1) near3 (height or vertical or vertically or high or higher or distance\$1 or distancing or low or lower or lowering or lowered or tall or taller or short or shorter))	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:17

S30	126	S29 and (fold or folded or folding or foldabl\$1 or pivot or pivoting or pivoted or pivotabl\$1 or rotate\$1 or rotation or rotating or rotatabl\$1 or turn or turned or turning or turnabl\$1 or spin or spinning or spinned or twist or twisted or twisting or twistabl\$1).ab,clm.	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:19
S31	70	S30 not pedal	US-PGPUB; USPAT	ADJ	ON	2010/05/31 18:19
S32	5	((("5063821") or ("5531148") or ("5929355") or ("5934628") or ("6610916")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/31 18:23

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	6899	(rail and leg).clm.	USPAT; UPAD	ADJ	ON	2010/08/16 14:12
L9	0	l8 and (pivot coupler).clm.	USPAT; UPAD	ADJ	ON	2010/08/16 14:12

8/ 16/ 2010 3:22:55 PM

C:\ Documents and Settings\ cuhlir\ My Documents\ EAST\ Workspaces\ EAST-Work\ 10586144.
wsp